

## PUBLICATION LIST SINCE 2003

Relevant publications for the proposal are marked \*.

### Peer-reviewed articles

- [1] \*Hetzer FH, Künzi W, Schwizer W, Demartines N (2003) Continent colostomy with rectus abdominis neosphincteroplasty: development of an animal model. Br J Surg. 90:1273-9
- [2] Dvorkin LS, Hetzer F, Scott M, Williams NS, Gedroyc W, Lunniss PJ (2004) Open-Magnet MR Defaecography compared with Evacuation Proctography in the Diagnosis and Management of Patients with Rectal Intussusception. Colorectal Dis.6:45-53
- [3] \*Lunniss PJ, Gladman MA, Hetzer FH, Williams NS, Scott SM (2004) Risk factors in acquired faecal incontinence. J R Soc Med. 97:111-6
- [4] \*Hetzer FH, Hahnloser D, Knoblauch Y, Lölein F, Demartines N (2005). New screening technique for Sacral Nerve Stimulation in local anaesthesia. Tech Coloproctol. 9:25-8
- [5] Williams NS, Giordano P, Dvorkin LS, Huang A, Hetzer FH, Scott SM (2005) External Pelvic Rectal Suspension (The Express Procedure) for Full-Thickness Rectal Prolapse: Evolution of a New Technique. Dis Colon Rectum. 48:307-16
- [6] \*Hetzer FH, Tsagari C, Andreisek G, Sahrbacher U, Weishaupt D (2006) MR-Defecography in Patients with Fecal Incontinence – Spectrum of Imaging Findings and Impact on Surgical Management. Radiology. 240(2):449-57
- [7] \*Hetzer FH, Hahnloser D, Clavien P-A, Demartines N (2006) Video assisted sacral nerve stimulation. Tech Coloproctol.10(2):121-3
- [8] Hübner M, Hetzer FH, Weishaupt D, Hahnloser D, Clavien P-A, Demartines N (2006) A prospective comparison between clinical outcome and open-configuration MR-defecography findings before and after surgery for symptomatic rectocele. Colorectal Dis. 8(7):605-11
- [9] \*Hetzer FH, Bieler A, Hahnloser D, Lölein F, Clavien P-A, Demartines N (2006) Outcome and cost analysis of sacral nerve stimulation for faecal

- incontinence  
Br J Surg. 93(11):1411-1417
- [10] \*Hetzer FH, Hahnloser D, Clavien P-A, Demartines N (2007) Quality of Life and Morbidity after permanent Sacral Nerve Stimulation for Fecal Incontinence. Arch Surg. 142:8-13
- [11] Scholz T, Hetzer FH, Dindo D, Demartines N, Clavien PA, Hahnloser D (2007) Long-term follow-up after combined fissurectomy and Botox injection for chronic anal fissures. Int J Colorectal Dis. 22:1077-81.
- [12] Hübner M, Hahnloser D, Hetzer F, Müller MK, Clavien P-A, Demartines N (2007) A prospective randomized comparison of two instruments for dissection and vessel sealing in laparoscopic colorectal surgery. Surg Endosc. 21(4):5924
- [13] Soll C, Hahnloser D, Dindo D, Clavien PA, Hetzer F. (2008) A novel approach for treatment of sacrococcygeal pilonidal sinus: less is more. Int J Colorectal Dis. 23(2):177-80.
- [14] Steffen S, Tarantino I, Hetzer FH, Warschkow R, Lange J, Zünd M. (2008) Safety and Morbidity after ultralow coloanal anastomosis: J-pouch vs end-to-end reconstruction. Int J Colorectal Dis.23(3):277-81.
- [15] Solopova, AE, Hetzer FH, Marincek B, Weishaupt D. (2008) MR Defecography: Prospective Comparison between two different rectal enema compositions. AJR Am J Roentgenol.190(2):W118-24
- [16] Tarantino I, Hetzer FH, Warschkow R, Zünd M, Stein, Zerz A. (2008) Local excision and endoscopic mesorectal resection vs. low anterior Resection in T1 rectal cancer. Br J Surg. 95:375-380
- [17] Dindo D, Weishaupt D, Lehmann K, Hetzer FH, Clavien PA, Hahnloser D. (2008) Clinical and morphologic correlation after stapled transanal rectal resection for obstructed defecation syndrome. Dis Colon Rectum. 51:1768-74.
- [18] Schwandner O, Stuto A, Jayne D, Lenisa L, Pigot F, Tuech J-J, Scherer R, Nuget K, Corbisier F, Basany E, Hetzer FH. (2008) Decision-making Algorithm for the STARR procedure in Obstructed Defecation Syndrom: Position statement of the STARR Pioneers. Surg Innov.15(2):105-9.

- [19] Scherrer R, Marti L, Hetzer FH. (2008) Perineal Stapled Prolapse Resection: A New Procedure for External Rectal Prolapse.  
Dis Colon Rectum. 48:307-16
- [20] Lenisa L, Schwandner O, Stuto A, Jayne D, Pigot F, Tuech J-J, Scherer R, Nuget K, Corbisier F, Basany E, Hetzer FH. (2009) STARR with Contour® TranstarTM: Prospective Multicentre European Study  
Colorectal Dis. 11:821-830
- [21] Hausammann R, Steffen T, Weishaupt D, Beutner U, Hetzer FH. (2009) Rectocele and intussusception: is there any coherence in symptoms or additional pelvic floor disorders? Tech Coloproctol.13(1):17-26
- [22] \*Bock S, Folie P, Wolff K, Marti L, Engeler DS, Hetzer FH. (2010) First experiences with pudendal nerve stimulation in fecal incontinence: a technical report.  
Tech Coloproctol. 14:41
- [23] Wolff K, Marti L, Beutner U, Steffen T, Lange J, Hetzer FH. (2010) Functional Outcome and Quality of Life after Stapled Transanal Rectum Resection for Obstructed Defecation Syndrome.  
Dis Colon Rectum. 53:881-888
- [24] Fischer A, Tarantino I, Warschkow R, Lange J, Zerz A, Hetzer FH. (2010) Is sphincter preservation reasonable in all patients with rectal cancer?  
Int J Colorectal Dis.25:425-32
- [25] Steffen T, Lüchinger R, Wildermuth S, Kern Ch, Fretz Ch, Lange J, Hetzer FH. (2010) Safety and Reliability of Radio Frequency Identification Devices in Magnetic Resonance Imaging and Computed Tomography.  
Patient Saf Surg. 2010;4(1):2.
- [26] Hetzer FH, Roushan AH, Wolff K, Beutner U, Borovicka J, Lange J, Marti L. (2010) Functional outcome after perineal stapled prolapse resection for external rectal prolapse.  
BMC Surg.8;10(1):9.
- [27] Müller K, Marti L, Tarantino I, Jayne DG, Wolff K, Hetzer FH, (2011) Prospective Analysis of Cosmesis, Morbidity, and Patient Satisfaction Following Limberg Flap for the Treatment of Sacrococcygeal Pilonidal Sinus.  
Dis Colon Rectum. 54:487-494

## **Review Articles**

- [28] Hetzer FH, Baumann M, Röthlin M (2000) A new Concept in Treatment of Anal Fissure  
Schweiz Rundsch Med Prax. 89: 1317-1321
- [29] \*Steinke W, Hetzer FH, Demartines N (2002) Stuhlinkontinenz: Abklärung, Behandlungskonzept und neue Therapieansätze.  
Schweiz Rundsch Med Prax.91:1733-40
- [30] Hetzer FH, Wildi S, Demartines N (2003) Neues in der differenzierten Behandlung des Hämorrhoidalalleidens.  
Schweiz Rundsch Med Prax.92:1579-83
- [31] Hahnloser D, Hetzer F, Lesurte M, Demartines N, Clavien PA (2004) La résection laparoscopique pour tous les cancers du côlon?  
Méd Hyg.62:1212-7
- [32] Hahnloser D, Hetzer FH (2004) Wird die laparoskopische Resektion des Kolonkarzinoms zum neuen Standard.  
Schweiz Rundsch Med Prax.93:1447-53
- [33] \*Hetzer FH, Buse S, Knoblauch Y, Hahnloser D, Clavien PA, Demartines N (2005) Sakrale Nervenstimulation in der Behandlung der Stuhlinkontinenz.  
Schweiz Rundsch Med Prax. 94: 681-6
- [34] Kapp Th, Zadnikar M, Hahnloser D, Soll CH, Hetzer FH. (2007) Neues Therapiekonzept für den Sinus pilonidalis.  
Schweiz Rundsch Med Prax 96:1171-6
- [35] \*Hetzer FH, Kessler MK. (2008) Chronische sakrale Neuromodulation zur Behandlung von therapierefraktären Blasen- und Darm-Funktionsstörungen.  
Schweiz Med Forum 8:887-890
- [36] Ommer A, Hetzer FH, et al. (2011) S3-Leitlinie: Kryptoglanduläre Analfistel, aktuelle, evidenzbasierte Richtlinien für Diagnostik und Therapie.  
Coloproctology1;33:295-324.

## **Book contributions**

- [1] \*Hetzner FH (2007) Invited Comment to “Sacral Nerve Modulation in Fecal Incontinence” by Prof. K. Matzel. In: *Fecal Incontinence*, Ratto C, Doglietto GB.(eds.), pp. 218-220, Springer Verlag
- [2] Bolog N, Hetzner FH, Weishaupt D. (2008) Pelvic Floor Dysfunction – Anorectal Manifestations. In: *Encyclopedia of Diagnostic Imaging*, Baert AL.,pp. 1462-1466, Springer Verlag Berlin Heidelberg
- [3] Hetzner FH (2009) Chapter 4: Evaluation of Patients with Symptomatic Hemorrhoids and Obstructed Defecation. In: *Transanal Stapling Techniques for Anorectal Prolapse*, Jayne D., Stuto A.(eds.),pp. 43-57, Springer-Verlag (London)
- [4] Hetzner FH, Senagore A (2009) Chapter 8: The evidence for stapled haemorrhoidopexy and Stapled transanal rectal resection (STARR). In: *Transanal Stapling Techniques for Anorectal Prolapsed*, Jayne D., Stuto A.(eds.),pp. 95-115, Springer-Verlag (London)
- [5] Hetzner FH (2009) Preparation for the operation. In: *Operation Primer “Stapled Transanal Rectal Resection*, Immenroth M., Berg T., Brenner J.(eds.), 25-30, Springer Verlag
- [6] Hetzner FH, Meyenberger C (2010) Endoanal Ultrasound for Chapter 32 Abscess. In: *EUS Pathology with Digital Anatomy Correlation: A Text & Atlas*, Manoop S. Bhutani, J.C. (eds.),pp. 345-53 PMPH-USA
- [7] Hetzner FH, Meyenberger C (2010) Endoanal Ultrasound for Chapter 33 Fistula. In: *EUS Pathology with Digital Anatomy Correlation: A Text & Atlas*, Manoop S. Bhutani, J.C. (eds.), pp. 355-60 PMPH-USA
- [8] Hetzner FH, Meyenberger C (2010) Endoanal Ultrasound for Chapter 34 Sphincterdefect. In: *EUS Pathology with Digital Anatomy Correlation: A Text & Atlas*, Manoop S. Bhutani, J.C. (eds.),pp. 361-368 PMPH-USA
- [9] \*Hetzner FH (2012) Kapitel: Anale Inkontinenz. In: *Chirurgische Proktologie*, Lange J., Mölle B., Girona G.(eds.), 2. Auflage,pp. 239-288 Springer Verlag
- [10] Hetzner FH (2012) Kapitel: STARR Technik. In: *Chirurgische Proktologie*, Lange J., Mölle B., Girona G.(eds.), 2. Auflage,pp. 309-310 Springer Verlag

- [11] Hetzer FH (2012) Kapitel: Rektumprolapse und Douglasobliteration. In: Chirurgische Proktologie, Lange J., Mölle B., Girona G.(eds.), 2. Auflage,pp. 310-312 Springer Verlag
- [12] Hetzer FH, Marti L (2012) Kapitel: Hämorrhoiden. In: Chirurgische Proktologie, Lange J., Mölle B., Girona G.(eds.), 2. Auflage,pp. 118-138 Springer Verlag

### **The 10 Most Relevant Publications**

- [1] Hetzer FH, Künzi W, Schwizer W, Demartines N (2003) Continent colostomy with rectus abdominis neosphincteroplasty: development of an animal model. Br J Surg. 90:1273-9
- [2] Lunniss PJ, Gladman MA, Hetzer FH, Williams NS, Scott SM (2004) Risk factors in acquired faecal incontinence. J R Soc Med. 97:111-6
- [3] Hetzer FH, Hahnloser D, Knoblauch Y, Löhlein F, Demartines N (2005). New screening technique for Sacral Nerve Stimulation in local anaesthesia. Tech Coloproctol. 9:25-8
- [4] Hetzer FH, Tsagari C, Andreisek G, Sahrbacher U, Weishaupt D (2006) MR-Defecography in Patients with Fecal Incontinence – Spectrum of Imaging Findings and Impact on Surgical Management. Radiology. 240(2):449-57
- [5] Hetzer FH, Hahnloser D, Clavien P-A, Demartines N (2006) Video assisted sacral nerve stimulation. Tech Coloproctol.10(2):121-3
- [6] Hetzer FH, Bieler A, Hahnloser D, Löhlein F, Clavien P-A, Demartines N (2006) Outcome and cost analysis of sacral nerve stimulation for faecal incontinence Br J Surg. 93(11):1411-1417
- [7] Hetzer FH, Hahnloser D, Clavien P-A, Demartines N (2007) Quality of Life and Morbidity after permanent Sacral Nerve Stimulation for Fecal Incontinence. Arch Surg. 142:8-13

- [8] Bock S, Folie P, Wolff K, Marti L, Engeler DS, Hetzer FH. (2010) First experiences with pudendal nerve stimulation in fecal incontinence: a technical report.  
Tech Coloproctol. 14:41
- [9] Hetzer FH (2012) Kapitel: Anale Inkontinenz. In: Chirurgische Proktologie, Lange J., Mölle B., Girona G.(eds.), 2. Auflage,pp. 239-288 Springer Verlag
- [10] Hetzer FH, Kessler MK. (2008) Chronische sakrale Neuromodulation zur Behandlung von therapierefraktären Blasen- und Darm-Funktionsstörungen.  
Schweiz Med Forum 8:887-890